



VirCru
Smart Tag

1. VirCru Smart Tag Summary

The VirCru Smart Tag can monitor temperature and intrusion, acting as an ideal security device for doors, hatches, or valuable items.

The VirCru Smart Tag is designed to monitor either:

- The open/closed status of a door/hatch. If the Tag and magnet are separated (e.g. the door/window/hatch is opened), an alert will be sent to your mobile device

Or:

- The location of an outboard, tender or piece of boating equipment. When attached to this piece of equipment, an alert will be sent to your mobile device if the item is moved away from your boat and the Tag's wireless connection with your VirCru Hub is broken.

In both of these use cases, the Smart Tag can also be employed to monitor temperature, positioned either inside the cabin or externally on your boat.

Inside the box you will find all you need to get your VirCru Smart Tag up and running:

- VirCru Smart Tag
- Dual-Lock Adhesive Pads (one adhered to the back of the Sensor and the other supplied 'locked' to its mating half)
- Alcohol Wipes
- This guide.

Before installing, we recommend registering the Sensor on the VirCru App by scanning the QR code. This functionality can be found in the "Settings" tab.

If any of these items are missing from your box, please contact VirCru customer service at:

01386 800 360 or

customer.services@vircru.com

2. Installation Guide

Safety Precautions

Please ensure to:

- Follow all installation instructions
- Only carry out tasks in which you are competent
- Make full consideration of the environmental conditions and hazards during installation
- Avoid drilling into any Hub or Tag enclosures, due to the risk of piercing/exploding batteries
- Take care to ensure correct polarity on all wired connections.

VirCru Tags are mounted using Dual-Lock self-adhesive pads. One half is supplied adhered to the Tag back with the other half 'locked' to its mating half. To mount the Tag:


- Using one of the alcohol wipes, clean the position the Tag is going to be mounted in (select a suitable area with firm substrate)
- Ensure that the two halves of the Dual Lock are aligned, remove the adhesive protective cover, and press the Tag into position
- The Tag can be removed by gently pulling the Dual Lock pads apart (one half remains on the Tag, the other on the mounting surface).


2a. Installing the Smart Tag as a Door Sensor

The VirCru Tag is mounted using Dual-Lock self-adhesive pads (refer to instructions above) and peel and stick pads. There are two parts – a magnet (the smaller part) and a Sensor (the larger part). Choose where you want to site your VirCru Tag and carefully clean the relevant surfaces with the alcohol wipes provided.

When used as a door or hatch tag, the gap between the two contacts must be less than 8mm when in the closed position. Simply line up the logos on the tag and magnet, and the Sensor will be aligned. If the door or hatch opens and this connection is broken, the Sensor will notify you via the VirCru App.

Position Sensor and magnet within 8mm of each other. The magnet should be attached to the door.








2b. Installing the Smart Tag as a Location Sensor

You can also use the VirCru Tag as a location tag to monitor items that are stored on your boat such as paddleboards, your tender with an outboard, bikes or other valuables. If anything is moved a significant distance from the boat and the wireless connection between Tag and Hub is broken, the VirCru App will alert you.

Position the Sensor on the item you wish to monitor, following the guidance of the diagrams below and the instructions above. While using the equipment, simply turn off the Sensor in your VirCru App.






2c. Installing the Smart Tag as a Temperature Sensor

Install the Tag in your cabin to monitor the temperature inside your boat. The Tag can be positioned internally or externally using the Dual-Lock self-adhesive pads, mounted to your cabin wall/ceiling (internally) or in a safe location (roof, mast) where it won't be disturbed (externally).

Other VirCru Sensors with a wide range of benefits can be added to your Smart Boat system. See our website at <https://www.vircru.com>.

3. The VirCru App



3. How to Install your VirCru App

The VirCru App is supported by software versions iOS 13 and above on iPhone, and versions 5.0 (Lollipop) and above on Android. Ensure your mobile has these software versions installed before downloading the VirCru App.

To download the VirCru App (iPhone):

- Unlock your phone and navigate to the 'App Store'
- Type "VirCru" in the search bar
- Click "Get" by the VirCru logo icon
- Once authorised, the VirCru App will appear on your iPhone's home page.

To download the VirCru App (Android):

- Unlock your phone and navigate to the 'Google Play Store'
- Type "VirCru" in the search bar
- Click "Install" by the VirCru logo icon
- Once authorised, the VirCru App will appear on your Android device's home page.

The VirCru App features a simple and intuitive interface to display and personally configure the data provided by the VirCru Hub, Sensors and Products installed on your boat.

The VirCru App main dashboard gives you an overview of all data, which can be explored in more detail if required. It also includes an inventory system for all the other products and services related to your boat, from insurance details, documents and renewal dates through to life jacket servicing.

For more information on configuring and using the VirCru App, please refer to our comprehensive App User Guide available at www.vircru.com. This document provides detailed analysis of the setup, features and functionality of our App in one place, and is constantly evolving as we add new features and technology to our interface.

4. Don't Forget

- Check your Hub and Sensors every few months to ensure they are working properly
- It is always best to mount your equipment on flat and smooth surfaces. Before fixing adhesive pads, ensure you clean your surfaces using the alcohol wipes provided
- If you require any assistance with installation, contact a professional marine electrician or a member of the VirCru team.



VirCru is your virtual crew – always onboard and always connected to you.

5. We're Here to Help

Phone or email our UK-based team for any technical support, product information or sales advice you need using the contact details below:

customer.services@vircru.com

We aim to respond to all email enquiries within 1-2 working days.

01386 800 360

Our phone lines are open 24/7 for enquiries, and we will aim to respond to your query (via your preferred choice of phone or email) within 1-2 working days.

Other VirCru Products

VirCru offers a comprehensive range of products to ensure you can be in touch with your boat from wherever you are. To view our full range of Hubs, Tags, Sensors, Alarms and more, visit <https://www.vircru.com/>.



If you need any help with your VirCru installation or
App set-up please email: customer.services@vircru.com